

Solutions BREAKELL LIFTS

Complete Lift Systems	Machine Room Hydraulic/Traction Systems
	Machine Room Less Hydraulic/Traction Systems
	MaisonLIFT PLUS
	MaisonLIFT BASIC , according to machine directive
	Earthquake Resistant Lift
Lift Assemblies	Compact, Dumbwaiter
	Cabins
	Passenger Cabins
	Freight/Goods Cabins
	Firefighting Cabins
	Panoramic Cabins
	Doors
	Automatic Doors with VVVF Operator
	Folding Doors
	Semi-automatic Landing Doors
Complete Elevation Systems	Circular Doors
	Modernization Doors
	Electronics
	Controllers
	Car & Landing Operating Panels
	Pre-wiring
	Hydraulic Elevation Systems
	Piston & Cylinder Assembly
	Power Units
	Car Frames
Shaft Structures	Guide Rails
	Wire Ropes
	Hydraulic Oil
	Traction Elevation Systems
	Traction Machines
Complete Elevation Systems	Car Slings
	Counterweight Slings
	Governors
	Guide Rails
	Wire Ropes
Complete Elevation Systems	KleemannPark
	Parking and Car Lifting Systems
	Freestair
Complete Elevation Systems	Chair or Platform Stair Lifting Systems
	Escalators and Moving Walks
Shaft Structures	Steel
	Aluminium



UpLoad

Goods Passenger Lifts

KLEEMANN goods-passenger lifts UpLoad are extremely durable and designed to fulfill any project's requirements. They can handle any load up to 15,000kg, which makes them the perfect solution for applications in industrial buildings, plants, warehouses, super markets, shops etc.

Features

- Anti-vandal pushbuttons
- Protective bumper rails (elastic, wood, inox)
- Emergency car trap door
- 3D or 2D infra-red light door detector
- Speed up to 0.63 m/sec
- Overload detection
- High accuracy leveling (option for electronic valve)
- VWF automatic doors
- Microprocessor controller according to lift directive 95/16 EC (SABP or collective control operation)
- Klemaphone (2 ways hands free permanent communication emergency telephone according to lift directive 95/16 EC)
- Heavy duty types of door sill tracks chosen according to rated load:



MediLift

Bed Lifts

KLEEMANN Bed (Health Care) Lifts are the ideal solution for applications in Hospitals, Clinics, Health centers etc. Their flexible design and manufacturing process provide them with the unique capability to be customized according to the building's health and safety requirements.

Features

- Protective bumper rails (elastic, wood, inox)
- Battery operated automatic emergency release procedure in case of power failure
- 3D or 2D infra-red light door detector
- Emergency car trap door
- Car preference operation (hospital service): key switch on COP causes the lift doors to remain open until a car call is registered. All landing calls are then by-passed and the lift is exclusively operated from the inside the car (ie. the COP). Removal of the car preference (or attendant) key switch on completion of the special operation returns the lift to normal control
- Overload detection
- Klemaphone (2 ways hands free permanent communication emergency telephone according to lift directive 95/16 EC)
- Speed up to 0.63 m/sec
- High accuracy leveling (option for electronic valve)
- Microprocessor controller according to lift directive 95/16 EC (SABP or collective control operation)
- VWF automatic doors



AutoLift

Car Lifts

KLEEMANN Car Lifts AutoLIFT have high strength and maximum durability, while they operate highly reliable. They also provide smooth and quiet movement for both car and passenger and they can lift up to 6 tons. Car Lifts are suitable solutions for car parking stations and industrial and commercial buildings.

Features

- Protective bumper rails (elastic, wood, inox)
- Battery operated automatic emergency release procedure
- in case of power failure
- Overload detection
- Two car operating panel (open through configurations)
- Klemaphone (2 ways hands free permanent communication emergency telephone according to lift directive 95/16 EC)
- Light fittings with fluorescent flush lighting (O10 ceiling)
- 3D or 2D infra-red light door detector
- Remote controls
- VVVF automatic doors
- Cabin and door robustness
- Speed up to 0.63 m/sec
- High accuracy leveling (option for electronic valve)
- Microprocessor controller according to lift directive 95/16 EC (SABP or collective control operation)
- Heavy duty types of door sill tracks chosen according to rated load.



MegaSpace

Max Surface Lifts

The max surface lift MegaSpace is a goods/passenger traction lift where the cabin dimensions do not have to comply with the EN 81 - 1 standard with regard to the relation between cabin area and rated load. Thus the cabin area can be increased much further than dictated by the standard for every other traction lift. As a result, a much better utilization of the existing shaft is achieved while at the same time the output of the driving mechanism is minimized resulting in reduced power consumption. MegaSpace is a fully certified product according to the strictest European norms and regulations and includes special features (such as pawl devices, special controller and other) that ensure optimum safety conditions during the operation of the lift.

The advantages of MegaSpace

- Larger available cabin area for a given rated load.
- Cabin area up to 17.5m² for rated load equal to 3,500 kg (According to EN 81-1, the maximum equivalent care area for a rated load of 3,500 kg cannot exceed 6.60m², this restriction is not applicable to Megaspaces, due to its special design)
- Absolute lift stability and safety during loading
- Required technical characteristics (e.g. motor, guide rails, wire ropes, safety gear etc) that allow for lower costs & energy saving.
- Ideal for goods/passenger and car lifts regardless of travel.
- TÜV SÜD certified.
- KLEEMANN quality and guarantee



Freight Lifts



BREAKELL
LIFTS

